ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 200 NO. 1 CELEBRATION ISSUE CONTENTS SEPTEMBER 1, 1987

General Analytical Chemistry

Chemical kinetics with reagent dispersion in single-line flow-injection systems
J. M. Hungerford and G. D. Christian (Seattle, WA, U.S.A.) 1

The trace determination of some heavy metals in waters by flow-injection spectrophotometry and potentiometry
Y. A. Zolotov, L. K. Shpigun, I. Y. Kolotyrkina, E. A. Novikov and O. V. Bazanova (Moscow, U.S.S.R.). . . . 21

Fundamental and practical considerations in the design of on-line column preconcentration for flow-injection atomic spectrometric systems
Z. Fang, S. Xu and S. Zhang (Shenyang, China). 35

Effects of ultrasonic irradiation in flow-injection systems
P. Linares, F. Lázaro, M. D. Luque de Castro and M. Valcárcel (Córdoba, Spain). 51

Continuous-flow enzymatic determination of creatinine with improved on-line removal of endogenous ammonia
M. E. Collison and M. E. Meyerhoff (Ann Arbor, MI, U.S.A.). 61

Application of an enzyme thermistor for the determination of glucose in complex fermentation media
G. Wehnert, A. Sauerbrei, Th. Bayer, Th. Scheper, K. Schügerl (Hannover, F.R.G.) and Th. Herold (Göttingen, F.R.G.). 73

Speciation of tin in lemon juice: an example of trace metal speciation in food
G. Weber (Dortmund, F.R.G.). 79

Analysis for trace elements with a SLOWPOKE reactor
D. E. Ryan, A. Chatt and J. Holzbecher (Halifax, N.S., Canada) 89

Separations

Voltammetric/amperometric detection for liquid chromatography
C. E. Lunte, J. F. Wheeler and W. R. Heineman (Cincinnati, OH, U.S.A.) 101

Determination of inorganic sulfur species in highly alkaline solutions by liquid chromatography with polarographic detection
Z. Uddin, R. Markuszewski and D. C. Johnson (Ames, IA, U.S.A.). 115

Quenched peroxyoxalate chemiluminescence detection in aqueous liquid chromatographic separations
P. van Zoonen, H. Bock, C. Gooijer, N. H. Velthorst and R. W. Frei (Amsterdam, The Netherlands) 131

Examination of covalently bound polymeric stationary phases by luminescence spectroscopy
C. H. Lochmüller and M. T. Kersey (Durham, NC, U.S.A.) 143

Thermally stable, highly fluorinated stationary phases for gas chromatography
R. M. Pomaville and C. F. Poole (Detroit, MI, U.S.A.) 151

Separation and determination of traces of heavy metals complexed with humic substances in river waters by sorption on indium-treated Amberlite XAD-2 resin
M. Hiraide, Y. Arima and A. Mizuike (Nagoya, Japan) 171

Investigations of the extraction of adenosine phosphates with *N,N'*-dioctadecyl-1,4-diazabicyclo-[2.2.2]octane and *N,N,N',N'*-tetramethyl-*N,N'*-dioctadecyl-diammonium alkanes
Y. Fujii (Gifu City, Japan) and G. E. Pacey (Oxford, OH, U.S.A.) 181

Electrometric Methods

Application of amalgam electrodes in studies of heavy metals under natural water conditions
J.-P. Bernhard, J. Buffle and N. Parthasarthy (Geneva, Switzerland) 191

Continuous monitoring of copper and cadmium in zinc plant electrolyte using a microprocessor-based battery-operated data acquisition system, multiple ion-selective electrodes and redundancy principles
A. M. Bond, H. A. Hudson, D. L. Luscombe, K. L. Timms and F. L. Walter (Waurn Ponds, Vic., Australia) 213

(Continued overleaf)

(Contents continued)

Effect of applied current on copper sulphide-based ion-selective electrodes
E. G. Harsányi, K. Tóth, E. Pungor (Budapest, Hungary), M. Soma (Ibaraki, Japan) and Y. Umezawa (Sapporo, Japan) 227

Electrochemical biosensors for determination of nystatin activity
M. Mascini (Firenze, Italy), A. Memoli and F. Olana (Rome, Italy). 237

Determination of pH values over the temperature range 5–60°C for some operational reference standard solutions and values of the conventional residual liquid-junction potentials
A. K. Covington and M. J. F. Rebelo (Newcastle upon Tyne, Gt. Britain). 245

The influence of fluoride and sulphate on buffers used for the determination of the pH and speciation of protolytes in seawater
D. Dyrssen and M. Wedborg (Göteborg, Sweden). 261

Polarographic studies of iron complexes as potential contrast agents in magnetic resonance imaging
A. Jacobsen, W. Lund and E. Jacobsen (Oslo, Norway) 269

A study of the polarographic reduction of methaqualone
L. G. Chatten, R. E. Moskalyk, A. Chin (Edmonton, Alb., Canada) and P. Zuman (Potsdam, NY, U.S.A.) . . . 281

The determination of purines in fresh and sea water by cathodic stripping voltammetry after complexation with copper(I)
B. C. Househam, C. M. G. van den Berg and J. P. Riley (Liverpool, Gt. Britain) 291

Anodic stripping voltammetry with medium exchange in trace element speciation
T. M. Florence and K. J. Mann (Menai, N.S.W., Australia). 305

Deoxygenation of supporting electrolytes in stripping voltammetry by glucose and co-immobilized glucose oxidase and catalase in a flow system
L. Risinger, X. Yang and G. Johansson (Lund, Sweden) 313

The Langmuir-Blodgett monolayer dipole potential: a smeared dipole model for a lipid array, and pulsing of the potential by direct subphase infusion of immunochemical and lectin/polysaccharide complexes
M. Thompson, H. E. Wong and A. W. Dorn (Toronto, Ont., Canada) 319

Computer Methods and Applications

Expert system for solving problems in carbon-13 nuclear magnetic resonance spectroscopy
J. Zupan, M. Novič, S. Bohanec, M. Razinger, L. Lah, M. Tušar and I. Košir (Ljubljana, Yugoslavia) 333

The application of two-dimensional nuclear magnetic resonance spectroscopy in computer-assisted structure elucidation
B. D. Christie and M. E. Munk (Tempe, AZ, U.S.A.) 347

Automated recognition of common geometrical patterns among a variety of three-dimensional molecular structures
Y. Takahashi, S. Maeda and S.-I. Sasaki (Toyohashi, Japan). 363

Application of multicomponent spectrophotometry in analysis of copper electroplating bath solutions
M. Otto and T. George (Freiberg, G.D.R.). 379

The dependence of the variances of the parameters in non-linear regression analysis on the number of data points
L. Meites (Fairfax, VA, U.S.A.), N. Fanelli and P. Papoff (Pisa, Italy) 387

Estimation of ester hydrolysis parameters by using Fourier-transform infrared spectroscopy and the extended Kalman filter
S. L. Monfre and S. D. Brown (Newark, DE, U.S.A.). 397

SELEX: an expert system for evaluating published data on selenium in foods
D. W. Bigwood, S. R. Heller, W. R. Wolf, A. Schubert and J. M. Holden (Beltsville, MD, U.S.A.). 411

Classification of Chinese tea samples according to origin and quality by principal component techniques
X. Liu, P. van Espen, F. Adams (Wilrijk, Belgium), S. H. Yan and M. Vanbelle (Louvain la Neuve, Belgium) 421

Spectrometric Methods

Fast-atom-bombardment and tandem mass spectrometry for determining structures of fatty acids as their picolinyl ester derivatives
L. J. Deterding and M. L. Gross (Lincoln, NE, U.S.A.). 431

Direct secondary-ion mass spectrometric analysis of mixtures separated by thin-layer chromatography and electrophoresis
M. S. Stanley, K. L. Duffin, S. J. Doherty and K. L. Busch (Bloomington, IN, U.S.A.) 447
Studies of alkoxysilane hydrolysis and condensation by Fourier-transform infrared spectroscopy with a cylindrical internal-reflection cell
D. E. Leyden, R. S. Shreedhara Murthy, J. B. Atwater and J. P. Blitz (Fort Collins, CO, U.S.A.). 459
Studies of sample preparation for surface-enhanced Raman spectrometry on silver hydrosols
J. J. Laserna, E. L. Torres and J. D. Winefordner (Gainesville, FL, U.S.A.) 469
Identification and determination of aromatic nitro compounds by electron spin resonance spectrometry
D. Thorburn Burns, M. A.-Z. Eltayeb and B. D. Flockhart (Belfast, Northern Ireland). 481
Remote sensing in an optically dense environment by using two-photon excited fluorescence and a single multimode fiber optic
R. L. Steffen and F. E. Lytle (West Lafayette, IN, U.S.A.) 491
On/off chemical determination of reactive amino groups immobilized on silica surfaces
R. E. Snelling and H. A. Mottola (Stillwater, OK, U.S.A.) 503
Simultaneous determination of iron and copper ions by flow-injection analysis with a multichannel photodiode-array detector
H. Wada, T. Murakawa and G. Nakagawa (Nagoya, Japan). 515
An automated spectrophotometric field monitor for water quality parameters. Determination of nitrate
J. R. Clinch, P. J. Worsfold (Hull, Gt. Britain) and H. Casey (Wareham, Gt. Britain) 523
The application of strongly reducing agents in flow injection analysis. Part 6. Molybdenum(III)
W. Th. Kok, D. T. Thuy, T. V. Nghi and G. den Boef (Amsterdam, The Netherlands) 533
The use of discharge lamps as directly modulated atom reservoirs for selective line modulation in atomic emission spectrometry
J. C. Mitchell, A. W. Steele and G. M. Hieftje (Bloomington, IN, U.S.A.) 539
Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch having a wide-bore injector tube. Part 1. Conditions for optimum detection limit
L. Ebdon (Plymouth, Gt. Britain) and R. C. Carpenter (Aldermaston, Gt. Britain). 551
Chromatographic retention of molybdenum, titanium and uranium complexes for removal of some interferences in inductively-coupled plasma mass spectrometry
S.-J. Jiang, M. D. Palmieri, J. S. Fritz and R. S. Houk (Ames, IA, U.S.A.). 559
Improvement of the detection power in electrothermal atomic absorption spectrometry by summation of signals. Determination of traces of metals in drinking water and urine
H. Berndt, G. Schaldach and R. Klockenkämper (Dortmund, F.R.G.) 573
Laser-excited molecular fluorescence spectrometry for the determination of traces of nonmetals. Part 1. Determination of traces of fluoride, chloride and bromide based on diatomic molecules in a graphite furnace
K. Dittrich and H.-J. Stärk (Leipzig, G.D.R.) 581
Microwave spectral emission from a glow discharge-filled 18–26 GHz Fabry-Perot cavity spectrometer
A. S. Davis, A. N. Leontakianakos, F. Benmakroha, P. Wang, R. Haider, J. F. Alder (Manchester, Gt. Britain) and G. Thirup (Aarhus, Denmark) 593

Author Index 609